

6/3/2013 - New Release, Quest Diagnostics Nichols Institute, Valencia

NEW TESTS			
Please Note: Not all test codes assigned to each assay are listed in the table of contents. Please refer to the complete listing on the page numbers indicated.			
Test Code	Test Name	Effective Date	Page #
<u>91431</u>	HIV-1/2 Antigen and Antibodies, Fourth Generation, with Reflexes	6/17/2013	1
<u>91432</u>	HIV-1/2 Antibody Differentiation	6/17/2013	2

## New Test Offerings

The following tests will be available through Quest Diagnostics on the dates indicated below.

HIV-1/2 Antigen and Antibodies, Fourth Generation, with Reflexes																	
Clinical Significance	This 4th generation HIV Ag/Ab Combo assay is intended to be used as an aid in the diagnosis of HIV1/HIV2 infection, including acute or primary HIV-1 infection.																
Effective Date	6/17/2013																
Test Code	91431																
CPT Codes	87389																
Specimen Requirements	<b>Preferred</b> 2 mL (1 mL minimum) serum collected in a serum separator tube  <b>Acceptable</b> 2 mL (1 mL minimum) serum collected in a red-top tube (no-gel)																
Instructions	<b>TUBE MUST BE LABELED WITH PATIENT IDENTIFIER AND SUBMITTED ONLY FOR HIV TESTING. Tube should be spun after clotting and remain unopened.</b>																
Transport Temperature	Room temperature																
Specimen Stability	Room temperature: 72 hours Refrigerated: 5 days Frozen: 30 days																
Set-up/Analytic Time	Set-up: Mon-Fri; Report available: 3 days																
Reference Range	HIV Ag/Ab, 4th Gen: Non-Reactive																
Methodology	Immunoassay																
Performing Site	Quest Diagnostics Nichols Institute, San Juan Capistrano																
CPU Mappings	<table border="1"> <thead> <tr> <th colspan="2">91431-HIV Antigen and Antibody, 4th Generation Screen</th> </tr> <tr> <th>Result Code</th> <th>Result Name</th> </tr> </thead> <tbody> <tr> <td>86009052</td> <td>HIV Ag/Ab, 4th Gen</td> </tr> <tr> <th colspan="2">TR 91431-2-HIV-1/2 Antibody Differentiation</th> </tr> <tr> <th>Result Code</th> <th>Result Name</th> </tr> <tr> <td>86009056</td> <td>HIV 1 Antibody</td> </tr> <tr> <td>86009057</td> <td>HIV 2 Antibody</td> </tr> <tr> <th colspan="2">TR 91431-3-HIV-1 RNA, Qualitative TMA</th> </tr> </tbody> </table>	91431-HIV Antigen and Antibody, 4th Generation Screen		Result Code	Result Name	86009052	HIV Ag/Ab, 4th Gen	TR 91431-2-HIV-1/2 Antibody Differentiation		Result Code	Result Name	86009056	HIV 1 Antibody	86009057	HIV 2 Antibody	TR 91431-3-HIV-1 RNA, Qualitative TMA	
91431-HIV Antigen and Antibody, 4th Generation Screen																	
Result Code	Result Name																
86009052	HIV Ag/Ab, 4th Gen																
TR 91431-2-HIV-1/2 Antibody Differentiation																	
Result Code	Result Name																
86009056	HIV 1 Antibody																
86009057	HIV 2 Antibody																
TR 91431-3-HIV-1 RNA, Qualitative TMA																	

	<table border="1"> <thead> <tr> <th>Result Code</th> <th>Result Name</th> </tr> </thead> <tbody> <tr> <td>86003824</td> <td>HIV-1 RNA,QL TMA</td> </tr> </tbody> </table> <p><b>TR (True Reflex) Flag</b>  <i>CPU interface clients: If you are set up to use our True Reflexing option, build the unit codes with the TR flag (indicated above) separately.</i></p>	Result Code	Result Name	86003824	HIV-1 RNA,QL TMA
Result Code	Result Name				
86003824	HIV-1 RNA,QL TMA				
Additional Information	If 91431 HIV Ag,Ab, 4th Generation Screen is Repeatedly Reactive, then TC 91431-2 HIV-1/2 Antibody Differentiation will be performed at an additional charge (CPT code(s): 86701, 86702). If 91431-2 HIV-1/2 Antibody Differentiation is Indeterminate or Negative, then TC 91431-3 HIV-1 RNA, Qualitative TMA will be performed at an additional charge (CPT code(s): 87535).				

HIV-1/2 Antibody Differentiation							
Clinical Significance	This HIV assay is intended to be used as an aid in discriminating between HIV-1 or HIV-2.						
Effective Date	6/17/2013						
Test Code	91432						
CPT Codes	86701; 86702						
Specimen Requirements	<p><b>Preferred</b>                      2 mL (1 mL minimum) serum collected in a serum separator tube</p> <p><b>Acceptable</b>                      2 mL (1 mL minimum) serum collected in a red-top tube (no-gel)</p>						
Instructions	<b>TUBE MUST BE LABELED WITH PATIENT IDENTIFIER AND SUBMITTED ONLY FOR HIV TESTING.</b> Tube should be spun after clotting and remained unopened.						
Transport Temperature	Room temperature						
Specimen Stability	Room temperature: 72 hours Refrigerated: 7 days Frozen: 30 days						
Set-up/Analytic Time	Set-up: Mon-Fri; Report available: 2 days						
Reference Range	HIV 1 Antibody: Negative HIV 2 Antibody: Negative						
Methodology	Immunoassay						
Performing Site	Quest Diagnostics Nichols Institute, San Juan Capistrano						
CPU Mappings	<table border="1"> <thead> <tr> <th>Result Code</th> <th>Result Name</th> </tr> </thead> <tbody> <tr> <td>86009056</td> <td>HIV 1 Antibody</td> </tr> <tr> <td>86009057</td> <td>HIV 2 Antibody</td> </tr> </tbody> </table>	Result Code	Result Name	86009056	HIV 1 Antibody	86009057	HIV 2 Antibody
Result Code	Result Name						
86009056	HIV 1 Antibody						
86009057	HIV 2 Antibody						